

S&P Global Securities Finance Toolkit for Microsoft Excel®

Technical Guide

September 2023

Contents

1.	Introduction	3
	1.1 Purpose	3
2.	Installation	3
	2.1 System requirements	3
	2.2 Upgrading from a previous version	3
	2.3 Setup installation procedure	4
	2.4 Installation files and folders	8
	2.5 Registry changes	8
	2.6 Toolkit installation checks	9
	2.7 Navigator	. 12
	2.7.1 Detailed Status Information Button	. 13
3.	Network Communication	. 15
	3.1 Logon process	. 15
	3.2 Proxy processing	. 15
4.	S&P Global Toolkit Admin Tool	. 17
	4.1 Preferences	. 17
	4.2 RTD / Proxy tab	. 18
	4.2.1 Proxy test	. 19
	4.3 Add-In Config tab	. 20
	4.4 Support Email tab	. 21
	4.5 Live Help tab	. 23
5.	Toolkit Configuration Files	. 24
	5.1 RtdLocal_Config.xml	. 24
	5.2 Addin_Config.xml	. 24
	5.3 ApplicationLog.txt	. 25
6.	Error Messages	. 25
	6.1 Application errors	
	6.2 Data unavailable errors	. 26
	6.3 Formula errors	. 27
7.	Appendix	. 28
	7.1 Glossary	
	7.2 URLs	
8.	Support	. 29

1. Introduction

1.1 Purpose

This document provides information for installing and troubleshooting the S&P Global Securities Finance Toolkit for Microsoft Excel®. It covers:

- Detailed installation information
- Network communication
- Troubleshooting common issues.

2. Installation

2.1 System requirements

System	Requirement Microsoft Windows 7 or later, 32-bit and 64-bit versions	
Operating System		
Office Suite	Microsoft Excel 2007, 32-bit version	
	Microsoft Excel 2010, 2013 and 2016, 32-bit and 64-bit versions	
The Following Prerequisite is Required	Download Source	
Microsoft .NET Framework 4.6.1 or later	https://www.microsoft.com/engb/download/details.aspx?id=49981	

Administrative rights to the system are required to install the Toolkit. Once installed, administrative rights are not required to run the application.

2.2 Upgrading from a previous version

If you are upgrading from a previous version, uninstall the previous version first.

The steps below must be performed by a user with administrator rights.

Steps for upgrading from Toolkit version 9.8.0 or earlier:

- 1. Navigate to the "Markit Toolkit" folder in the Program Menu
- 2. Click "Uninstall "Markit Toolkit" with Admin privilege
- 3. Click "Yes" to proceed with uninstallation.
- 4. Wait for the uninstallation to complete.

Steps for upgrading from Toolkit version 9.9.1 or greater:

- 1. Navigate to the "IHS Markit Toolkit" folder in the Program Menu
- 2. Click "Uninstall "IHS Markit Toolkit" with Admin privileges
- 3. Click "Yes" to proceed with uninstallation.
- 4. Wait for the uninstallation to complete.

2.3 Setup installation procedure

The installation instructions are detailed below:

- 1. Ensure Excel is closed.
- 2. Go to https://www.spglobal.com/marketintelligence/en/mi/products/securities-finance.html and scroll down to the Toolkit Installation section
- 3. Download the software:
 - Users of 32-bit Excel should click "SPGMISFToolkitSetup.zip"
 - Users of 64-bit Excel should click the "SPGMISFToolkitSetup64.zip".


The SPGMISFToolkitSetup folder consists of two files as shown below:

💸 setup	9/27/2023 3:59 PM	Application	422 KB
₱ SPGlobalRtdServerSetup64	9/27/2023 3:59 PM	Windows Installer Package	8,676 KB


Either file can be used to install the toolkit.

Installation must be performed by a user with administrator rights.


Click on the "Next" button in the S&P Global Toolkit installation dialog




Click "Next" to continue on the Disclaimer dialog




Confirm the installation folder location. Click "Next" to continue



A Confirm Installation dialog will appear. Click "Next" to install the Toolkit.




A window will appear showing the installation progress as shown below.



Users may see a User Account Control dialog as shown below. Click "Yes" to continue the installation.



When the installation is complete, the window below will appear. Click "Close" to complete the installation.



2.4 Installation files and folders

During installation, the following will be created on the user's machine:

Installation folder

SPGMI Securities Finance Toolkit

Add-in Express folder.

Refer to the **Appendix** for details of the location and contents of these folders and files.

2.5 Registry changes

The following additions will be made to the destination machine's registry at installation time:


HKEY_CURRENT_USER\Software\S&P Global\API\Password

HKEY_CURRENT_USER\Software\S&P Global\API\UserName

Entries in the Password registry key are encrypted.

2.6 Toolkit installation checks

You should test your installation by downloading the Toolkit installation check spreadsheet on the installation page. When opened, you will be prompted to login with your S&P Global Securities Finance credentials.




A connection to the server is made if a valid username and password is entered. If the "Remember Me" box is ticked, these credentials will be saved to the S&P Global Securities Finance registry keys detailed in section 2.5, Registry changes. Once logged in, data should update on the sheet. If it does not, or if you get an error message, perform the checks in the sections below.

Note: 'Remember Me' is set automatically for users of Excel 2016 and the checkbox is not displayed. If you wish to log out of the toolkit, click Log out... at the bottom of the S&P Toolkit Navigator pane.


2.6.1 Installation check 1: Navigator

Ensure the Navigator displays correctly (see section 2.7 for details of the Navigator). If it does not, refer to 2.6.2, Installation check 2: COM Add-in, below



2.6.2 Installation check 2: COM Add-in

Ensure SPGMISFToolkit ComAddin is showing under Active Applications, as displayed in the image below.



Excel Version Steps

Excel 2010, 2013, and 2016

- Click File and select Options
- · Select Add-Ins on the left-hand pane
- Check that SPGMISFToolkitComAddin is listed under Active Application Add -in
- If it is not, select COM Add-ins in the Manage drop-down list and click Go
- Click Add
- Open C:\Program Files\S&P Global\SPGMI Securities Finance Toolkit
- Select adxloader.dll for 32-bit Excel or adxloader64.dll for 64-bit Excel
- Click OK to add it to the list then OK to close the COM Add -ins wind

Excel 2007

- Click on the Office Button
- Go to Excel options and select Add-Ins on the left-hand pane
- Check that SPGMISFToolkitComAddin is listed under Active Application Add -ins
- If it is not, select COM Add-ins in the Manage drop-down list and click Go
- Click Add
- Open C:\Program Files\S&P Global\SPGMI Securities Finance Toolkit
- Select adxloader.dll
- Click OK to add it to the list then OK to close the COM Add -ins window

2.6.3 Installation Check 3: Proxy Server


Ensure your proxy details are entered correctly if required (refer to section 4.2,RTD / Proxy tab). You may need to speak to your network administrator to get these settings.

2.7 Navigator

The Navigator is a GUI for the S&P Global Securities Finance Toolkit. A S&P Toolkit icon or menu item will be added to the Excel menu when the Toolkit is installed. Click on this to either show or hide the Navigator. Click the two chevrons at the top of the Navigator to minimise or maximise the panel.

The Navigator allows you to construct Toolkit formulae easily via the Query tab. It also includes a Search tab to help you find instrument details, a Documents tab with template and data dictionary files, a News tab which displays current articles from S&P Global Securities Finance and a Help tab that allows you to access real-time online support.


Please refer to the Toolkit Navigator User Guide for more detailed information on the Navigator. This is available under Help and Guides in the Documents tab.



2.7.1 Detailed Status Information Button

The Detailed Status Information button at the bottom of the Navigator displays a popup containing support information for the user who is currently logged in to the application.






The following information is available:

Item	Description
User	The current logged-in username
Server	The URL of the server that the application is using
Session Start	The time that the current user session began (date and time they logged in)
Client Version	The application version
Permissions	Data sets that the user has permission to access
Send Email	Send an email to the support team at S&P Global Securities Finance. Note: your email address and mail server are required. This can also be set up in the S&P Global Admin Tool, see section 4.4

3. Network Communication

The S&P Global Securities Finance Toolkit uses Microsoft RTD (Real Time Data) technology in Excel to download data from the S&P Global Securities Finance Toolkit server.

Excel generates requests for S&P Global Securities Finance data and passes it to the local RTD server, which compiles the request and passes it to the S&P Global Securities Finance Toolkit Server. A connection attempt is made to https://sf.ihsmarkit.com across the network. If successful, a TLS (v1) connection is made for the transmission of data. This will stay active until the spreadsheet containing the call is closed. If the spreadsheet is left open, a call to the server is made periodically to check the connection to the server.



3.1 Logon process

When clicking the Log In button on the Navigator, the Toolkit client will attempt connection to the Toolkit server. If this succeeds, a prompt for the S&P Global Securities Finance Toolkit Login details will appear (refer to section 2.6, Toolkit installation checks).

If this fails, it is likely that a proxy server is blocking access (refer to section 3.2, Proxy processing).

3.2 Proxy processing

The S&P Global Securities Finance Toolkit provides the below support for Proxy servers. These options are configured via the S&P Global Toolkit Admin Tool.

If the default credentials are not accepted by the proxy server, a pop-up window will appear requesting proxy credentials. You can specify one of the manual override options detailed below to bypass this prompt.



See section 4, S&P Global Toolkit Admin Tool, for setup details in the S&P Global Toolkit Admin Tool.

3.2.1 Default: Use LAN settings

The toolkit will use your default Local Area Network (LAN) settings to connect to the Toolkit server.

3.2.2 Manual override 1: No proxy

You can force no proxy / direct connection to the Toolkit server.

3.2.3 Manual override 2: Proxy config

You can manually specify a proxy server in the format ServerName:Port or IPAddress:Port.

3.2.4 Manual override 3: Proxy PAC

You can manually specify a proxy PAC in the format http://ServerName/pacfile

Note: If none of the above attempts work, or there are unrecoverable errors, the logon will fail.


4.S&P Global Toolkit Admin Tool

4.1 Preferences

A standalone tool SPGMISFToolkitAdminTool.exe (located in the Installation folder and accessible from Start -> All Programs -> SPGMI Securities Finance Toolkit -> SPGMI Securities Finance Toolkit Admin), is provided to allow users to modify Toolkit behavior. Settings changed on the Preferences tab will update the file

"Preferences.xml" stored in the Log Directory.

Note: Settings on this tab does not need Administrator rights to save settings using SPGMISFToolkitAdminTool.exe.




Item	Description
Client Currency	Results will be returned in the specified currency
Query Batch Size	Maximum number of requests sent to the server in one batch (default: 0 - use server configuration)
Query Timeout	Duration in milliseconds of maximum query time before timeout occurs (default: 0 - use server configuration)
Mail Server	Local email server used to send support emails. This should be specified in the format smtp.mailhost.com

4.2 RTD / Proxy tab

Settings changed on the RTD / Proxy tab will update the file "rtdlocal_config.xml" stored in the Installation folder.

Note: You must have Administrator rights to save settings using SPGMISFToolkitAdminTool.exe



Item	Description
Api URL	The URL of the server that the Toolkit connects to for data retrieval. This value should not be changed
	(https://sf.ihsmarkit.com)
Enable Http Compression	Checkbox to enable Http compression. Checked by default
Override Local Area Network (LAN) settings	Checkbox to manually specify proxy settings (default: false)
No proxy	Forces the Toolkit to use no proxy server when connecting to the Toolkit server (default: true)
Manual proxy config: (HTTP proxy)	You can manually specify a proxy server in the format
	ServerName:Port or IPAddress:Port (default: false)
Manual PAC support (PAC uri)	You can manually specify a proxy PAC in the format http://ServerName/pacfile (default: false)
Event Log Enabled	Indicates whether or not logging to the Windows Event Log is enabled (default: False)
Log Event Log Level	Indicates the level of logging to perform to the Windows Event Log (default: Exception)
Log File Enabled	Indicates whether or not logging to the Toolkit log file is enabled (default: True)
Log File Level	Indicates the level of logging to perform to the Toolkit log file (default: Info)

Note: If using a proxy, it must support compression with the **Enable Http Compression** property set to true, otherwise the Toolkit will revert to uncompressed communications.

4.2.1 Proxy test


A Connection Test is included in the S&P Global Toolkit Admin Tool which allows for the testing of different proxy configurations used by the Toolkit and Navigator. To test your connection to the Toolkit server via your proxy server, type in your proxy details then click a test option. Once the test is completed, a summary will be displayed. This will highlight any problems that may have occurred in connecting via the specified proxy.

Test Type	Description	
Quick Test	This will test the ability to access the Toolkit server through the current network configuration. A successful Quick Test does not necessarily indicate the Toolkit will work correctly	
Full Test	Performs a full connectivity test against the Toolkit server, including authentication and initialisation as per Toolkit functionality. This also covers network configuration implicitly. If this test is successful, the Toolkit should function correctly	

4.3 Add-In Config tab

Settings changed on the Addin Config tab will update the file "addin_config.xml" stored in the Installation folder. This in turn will change the settings on the Navigator.

Note: You must have Administrator rights to save settings using SPGMISFToolkitAdminTool.exe.



For URLs please refer to Appendix.

Item	Description
Feed Items	The URL and display name of the Feed on the News tab in the Navigator. Add or Delete feeds using the buttons provided
Help URL	The URL for Live Chat in the Help tab in the Navigator
Support Email	The email address that support emails will be sent to when clicking the Send Email button, accessed within the Detailed Status Information button on the Navigator (default: support@ihsmarkit.com)
Loader Log Directory Name	The folder name that Navigator logs will be written to (default: Add -in Express)
Log Directory Name	The folder name that Toolkit logs will be written to (default: S&P Global Toolkit)


4.4 Support Email tab

This tab can be used to send an email to S&P Global Securities Finance Support. You can also access this feature from the Navigator (refer to section 2.7.1).

You need to complete the From and Mail Server fields to be able to send an email. Type in any additional notes or messages in the Details box.


Selecting "Send log files" will automatically attach Toolkit logs which are useful for troubleshooting. You can also add additional attachments by clicking the paperclip button.

Clicking Send will submit the email to the Support Team at S&P Global Securities Finance.



4.5 Live Help tab

This tab can be used to chat directly to S&P Global Securities Finance Support. You can also access this feature from the Navigator (refer to section 2.7, Navigator). Fill in your name and email address details then click "Submit" to start.



5. Toolkit Configuration Files

5.1 RtdLocal_Config.xml

Description	Provides client-specific configuration for manipulating target server, logging levels, compression and proxy settings	
Location	Installation folder	
Used By	Toolkit, Navigator, S&P Global Toolkit Admin Tool	
Details	Refer to section 4.2, RTD / Proxy tab, for how to update this file via the S&P Global Toolkit Admin Tool	

5.2 Addin_Config.xml

Description	Provides client-specific configuration for manipulating the Navigator including the Feed tab, Help tab, Email settings and Logging levels	
Location	Installation folder	
Used By	Navigator, S&P Global Toolkit Admin Tool	
Details	Refer to section 4.3, Addin Config tab, for how to update this file via the S&P Global Toolkit Admin Tool	

5.3 ApplicationLog.txt


Description	If enabled, the Toolkit will log a configurable level of details to the ApplicationLog file	
Location	SPGMI Securities Finance Toolkit in My Documents	
Used By	Toolkit, Navigator, S&P Global Toolkit Admin Tool	
Details	Refer to section 4.2, RTD / Proxy tab, for how to activate and modify logging level in this file. This is useful for troubleshooting Toolkit issues.	
	An ApplicationLog filename will take the following format:	
	ApplicationLog_[year][weekOfYear].txt	
	The level of detail logged to the file is dependent upon the Log File Level property. Examples of the types of information logged are:	
	• Errors	
	 Proxy connection information 	
	 Log-in attempts 	
	Usage activity	
	 Navigator start and stop events 	
	Navigator errors	

6. Error Messages

6.1 Application errors


6.1.1 An error occurred while connecting to the server/you are offline





Description: Connection to the S&P Global Securities Finance toolkit server cannot be established. This is normally due to a proxy server blocking the connection. Refer to the section 4.2.1, Proxy test, for how to troubleshoot proxy connections.

6.1.2 Incorrect Login details supplied



Description: Incorrect username or password supplied. Check credentials and retry. Usernames and passwords are case sensitive.

6.2 Data unavailable errors

Error	Description
#NAME? or #NUM!	This is a built-in Excel error message.
	It can occur because the Addin has not been registered. Refer to section 2.6, Toolkit installation checks, for more details.
	It can also occur if a cell contains a calculation using the results of a toolkit formula, where the toolkit formula has returned an error
#DX: NO DATA#	Data is not available for the specified date or field
#DX: NOT FOUND#	The identifier specified could not be found
#DX: NO PERMISSION#	User does not have permission to view the requested data
#DX: INVALID DATE#	The requested date is outside the range of dates available for the field specified
#DX: LATEST DATE ONLY#	Historical data has been requested for a field that is only available for the latest date
·	

#DX: LATEST DATA ONLY#	Historical data has been requested for a field that is only available for the latest data
#DX: NOT AVAILABLE#	The identifier specified is not found
#DX: SINGLE DATE ONLY#	Historical data has been requested for a field that is only available for a single date

6.3 Formula errors

Error	Description
#NAME? or #NUM!	This is a built-in Excel error message.
	It can occur because the Addin has not been registered. Refer to section 2.6, Toolkit installation checks, for more details.
	It can also occur if a cell contains a calculation using the results of a toolkit formula, where the toolkit formula has returned an error
#DX: NO FIELDNAME SPECIFIED#	No field name is included in the formula
#DX: NO IDENTIFIER SPECIFIED#	No identifier is included in the formula
#DX: INVALID DATE SPECIFIED #	The field specified is not valid
#DX: INVALID IDENTIFIER TYPE#	The filter selected is invalid
#DX: AMBIGUOUS IDENTIFIER VALUE#	The specific field modifier index has not been recognised
#DX: INAPPLICABLE FIELD#	The order type has not been recognized
#DX: INVALID FIELD MODIFIER#	The rank type is invalid
#DX: INVALID FIELD#	The filter value is invalid
#DX: INVALID FILTER#	A method has been selected that is not supported
#DX: INVALID FIELD MODIFIER INDEX#	An ID Value has been requested that is not supported
#DX: INVALID ORDER TYPE#	Duplicate filter information has been entered
#DX: INVALID RANK#	Duplicate identifier types have been entered
#DX: INVALID FILTER VALUE#	Unknown error
#DX: INAPPLICABLE METHOD#	The field specified is not valid
#DX: INAPPLICABLE ID VALUE#	The filter selected is invalid

#DX: DUPLICATE FILTER#	The specific field modifier index has not been recognised
#DX: DUPLICATE IDENTIFIER TYPE#	The order type has not been recognised
#DX: UNKNOWN ERROR#	The rank type is invalid

7. Appendix

7.1 Glossary

Term	Meaning	
Toolkit		S&P Global Securities Finance Toolkit is the component that allows Excel to communicate with the Toolkit server via queries
Navigator		S&P Global Securities Finance Toolkit Navigator is the component that allows users to visually interact with the Toolkit in the form of an Excel add -in
Installation folder		The location where the software has been installed. By default this s is
		"C:\Program Files\S&P Global\SPGMI Securities Finance Toolkit" and contains all the application DLL and Configuration files
Documents folder		The user's default folder
S&P Global Toolkit folder		The S&P Global Toolkit folder under the user's Documents folder. Application logs are stored in this folder
Add-in Express folder		The Add-in Express folder under the user's Documents. Navigator logs are stored in this folder
RTD Server		Real Time Data Server. This acts as a translator between Microsoft Excel and the S&P Global Securities Finance Toolkit Server
Toolkit formula structure		=dxd(Identifier,Field Namespace,Date,Modifiers,Filters). Refer to the Data Dictionary for more details
GUI		Graphical User Interface
The Application		Toolkit, Navigator or S&P Global Toolkit Admin Tool depending on context
User's Temp folder		Temporary folder for the logged-on user. This can be found by clicking Start then Run, typing %TEMP% and pressing Enter
i		

7.2 URLs

Item	URL
Feed Items	http://feeds.feedburner.com/MarkitSecuritiesFinanceRSS
Help URL	https://ihsmarkit.secure.force.com/customers/LiveChatButton1
Support Email	support@ihsmarkit.com

8. Support

A dedicated team of S&P Global support specialists are available to answer any queries you have regarding the S&P Global Securities Finance Toolkit. The team can be contacted via live chat from the Live Help tab in the S&P Global Toolkit Admin Tool and the Help tab in the Navigator, and via email and telephone:

Email: support@ihsmarkit.com

Phone: JAPAN: +81 3 6262 1887

APAC: +604 291 3600

EMEA: +44 1344 328 300

Americas: +1 800 447 2273

Copyright © 2023 by S&P Global Market Intelligence, a division of S&P Global Inc. All rights reserved.

These materials, including any software, data, processing technology, index data, ratings, credit-related analysis, research, model, software or other application or output described herein, or any part thereof (collectively the "Property") constitute the proprietary and confidential information of S&P Global Market Intelligence or its affiliates (each and together "S&P Global") and/or its third-party provider licensors. S&P Global on behalf of itself and its third-party licensors reserves all rights in and to the Property. These materials have been prepared solely for information purposes based upon information generally available to the public and from sources believed to be reliable.

Any copying, reproduction, reverse-engineering, modification, distribution, transmission or disclosure of the Property, in any form or by any means, is strictly prohibited without the prior written consent of S&P Global. The Property shall not be used for any unauthorized or unlawful purposes. S&P Global Market Intelligence's opinions, statements, estimates, projections, quotes and credit-related and other analyses are statements of opinion as of the date they are expressed and not statements of fact or recommendations to purchase, hold, or sell any securities or to make any investment decisions, and do not address the suitability of any security, and there is no obligation on S&P Global Market Intelligence to update the foregoing or any other element of the Property. S&P Global Market Intelligence may provide index data. Direct investment in an index is not possible. Exposure to an asset class represented by an index is available through investable instruments based on that index. The Property and its composition and content are subject to change without notice.

THE PROPERTY IS PROVIDED ON AN "AS IS" BASIS. NEITHER S&P GLOBAL NOR ANY THIRD PARTY PROVIDERS (TOGETHER, "S&P GLOBAL PARTIES") MAKE ANY WARRANTY, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, FREEDOM FROM BUGS, SOFTWARE ERRORS OR DEFECTS, THAT THE PROPERTY'S FUNCTIONING WILL BE UNINTERRUPTED OR THAT THE PROPERTY WILL OPERATE IN ANY SOFTWARE OR HARDWARE CONFIGURATION, NOR ANY WARRANTIES, EXPRESS OR IMPLIED, AS TO ITS ACCURACY, AVAILABILITY, COMPLETENESS OR TIMELINESS, OR TO THE RESULTS TO BE OBTAINED FROM THE USE OF THE PROPERTY. S&P GLOBAL PARTIES SHALL NOT IN ANY WAY BE LIABLE TO ANY RECIPIENT FOR ANY INACCURACIES, ERRORS OR OMISSIONS REGARDLESS OF THE CAUSE. Without limiting the foregoing, S&P Global Parties shall have no liability whatsoever to any recipient, whether in contract, in tort (including negligence), under warranty, under statute or otherwise, in respect of any loss or damage suffered by any recipient as a result of or in connection with the Property, or any course of action determined, by it or any third party, whether or not based on or relating to the Property. In no event shall S&P Global be liable to any party for any direct, indirect, incidental, exemplary, compensatory, punitive, special or consequential damages, costs, expenses, legal fees or losses (including without limitation lost income or lost profits and opportunity costs or losses caused by negligence) in connection with any use of the Property even if advised of the possibility of such damages. The Property should not be relied on and is not a substitute for the skill, judgment and experience of the user, its management, employees, advisors and/or clients when making investment and other business decisions.

The S&P Global logo is a registered trademark of S&P Global, and the trademarks of S&P Global used within this document or materials are protected by international laws. Any other names may be trademarks of their respective owners.

The inclusion of a link to an external website by S&P Global should not be understood to be an endorsement of that website or the website's owners (or their products/services). S&P Global is not responsible for either the content or output of external websites. S&P Global keeps certain activities of its divisions separate from each other in order to preserve the independence and objectivity of their respective activities. As a result, certain divisions of S&P Global may have information that is not available to other S&P Global divisions. S&P Global has established policies and procedures to maintain the confidentiality of certain nonpublic information received in connection with each analytical process. S&P Global may receive compensation for its ratings and certain analyses, normally from issuers or underwriters of securities or from obligors. S&P Global reserves the right to disseminate its opinions and analyses. S&P Global Ratings' public ratings and analyses are made available on its sites, www.capitaliq.com (subscription), and may be distributed through other means, including via S&P Global publications and third party redistributors.